

REMARKS

Applicant intends this response to be a complete response to the Examiner's **4 May 2004** Non-Final Office Action. Applicant has labeled the paragraphs in his response to correspond to the paragraph labeling in the Office Action for the convenience of the Examiner.

Claims 1 and 2 stand provisionally rejected under 35 U.S.C. 101 as claiming the same invention as that of claims 1-2 of prior U.S. Patent No. 10/357328. This is a double patenting rejection.

Applicant has canceled claim 1 mooted this rejection. Claim 2 is now dependent on claim 9.

Claims 3-4 are allowed.

Applicant has added new claims 5-25. Claims 9, 14 and 20 are new independent claims that claim different aspects of the invention as set forth in the Figures attached thereto. Because each independent claim encompasses allowable subject matter, Applicant believes that each new independent claim is allowable. Applicant also points out that the new dependent claims are directed to the heat source stream and the basic working fluid composition and can find support at paragraphs [0015] and [0016] of the specification.


Applicant is enclosing a check in the amount of \$52 for the additional claim charges. The Commissioner is authorized to charge deposit account 501518 assigned to Robert W. Strozier, PLLC for any underpayment.

Having fully responded to the Examiner's Non-Final Office Action, Applicant respectfully urges that is application be passed onto allowance.

If it would be of assistance in resolving any issues in this application, the Examiner is kindly invited to contact applicant's attorney Robert W. Strozier at 713.977.7000

Date: **July 23, 2004**

Respectfully submitted,



Robert W. Strozier, "Reg. No. 34,024"